

## DATA SHEET

### Cylinder Moulds



55-C0100/MC15, 55-C0100/MCIN, 55-C0100/MC16


#### General description

The proposed models range from the traditional steel models conforming to EN, ASTM and AASHTO standards, to the slitting plastic models, very practical for field use and ideal for production control. Steel models can be supplied, on request, complete with certificate of compliance stating the individual verification with certified instruments.



55-C0100/MC15A, 55-C0100/MC16A

## DATA SHEET



55-C0100/PC15A, 55-C0100/PC10A Precise and economic, metal bottom and rims for long life, easy demoulding, easy to handle, ideal for site use.



Plastic one-piece cylinder moulds

## Products

### 55-C0100/MC25

Cylinder mould dia 250 x 500 mm

### 55-C0100/MCIN

Metal cylinder mould dia 6" x 12"

### 55-C0100/MC10

Cylinder mould dia 100 x 200 mm

### 55-C0100/MC15

Cylinder mould dia 150 x 300 mm

### 55-C0100/MC15A

Cylinder mould dia 150 x 300 mm. Easy opening system.

### 55-C0100/MC16

Metal cylinder mould dia 160x320mm.

### 55-C0100/MC16A

Metal cylinder mould dia 160x320mm. Easy opening system.

### 55-C0100/PC10

## DATA SHEET

Plastic cylinder mould dia. 100x200 mm

**55-C0100/PC10A**

Mould for cylinder 100x200 mm. Hard plastic body and steel base. Easy opening system

**55-C0100/PC15**

Plastic cylinder mould 150 mm dia. x 300 mm

**55-C0100/PC15A**

Mould for cylinder 150x300 mm. Hard plastic body and steel base. Easy opening system

**55-C0100/PC16**

Plastic cylinder mould dia 160 x 320 mm

## Accessories and consumables

**55-C0140**

Tamping rod dia 16 mm x 600 mm

**55-C0139/A**

Demoulding system 10 kg can

**55-C0140/1**

Tamping bar 380 mm long x 25 mm square

**55-C0140/3**

Tamping rod 10 mm dia x 250 mm

**55-C0119/5**

Specimen mould spanner

**55-C0140/2**

Straight edge